



SWEEPERS - WALK BEHIND

# 512

The 512/712 Vacuum Sweepers represent a revolution in the vacuum sweeping of carpets and hard surface floors. With built-in battery chargers, large debris litter gates, and battery run times of up to 4.5 hours, they bring a new level of productivity to floor maintenance.

MAX PRODUCTIVITY

27,000 ft<sup>2</sup>/h

BATTERY RUN TIME


2.8 h

NOISE LEVEL

28" cleaning path

13 gal capacity

**MOST FREQUENT USE**



ELECTRIC FILTER SHAKER



LARGE FRONTAL WASTE TRAY



EASY MAINTENANCE



**INNOVATIONS**




SOFT  
CLEANING  
SURFACE




## SLS™ SELF-LEVELLING SYSTEM

SLS™ System can be electric or mechanical and allows great cleaning performances thanks to a constant pressure on the floor.



## SOFT SURFACE CLEANING

Electronical or mechanical system that allows great cleaning performances thanks to a constant pressure on the floor.





## Other Features

- Self cleaning filter system providing optimum vacuum performance
- Main brush pressure adjustment with great dust control
- Dust flap for large debris collection
- Easy to use control panel
- Great working visibility
- Designed to assure minimum noise levels
- Dust filter replacement without tools
- Easy access to motor compartment
- Heavy duty chassis in fully coated steel
- Maximum protection against impact
- Panel control switches protected against water and humidity
- Battery level indicator
- On board charger

Max working width	in/ mm	28"/700 mm
Main brush width	in/ mm	20"/ 500 mm
Highest productivity	ft <sup>2</sup> /h - m <sup>2</sup> /h	27,117 ft <sup>2</sup> / 2,519 m <sup>2</sup>
Dirt container volume	gal	13 gal/ 50 l
Weight	lbs/ kg	172 lbs/ 78 kg
Dimensions	inches	48 x 30 x 36
Power supply	Voltage	12V
Max Seed	mph/ kph	2.2 mph/3.5 kph
Filter surface	ft <sup>2</sup> / m <sup>2</sup>	22 ft <sup>2</sup> / 2 m <sup>2</sup>
Filter shaker		standard
Noise level	dB	65 dB

**AVAILABLE ACCESSORIES**

**145 AH BATTERY**  
12V145




**100 AGM BATTERY**  
12V100-AGM



**140 AGM BATTERY**  
12V140-AGM



**PRE-FILTER**  
T8PF5



**BATTERY WATERING SYSTEM**  
CR-BWS-S-1



**GET RIGHT SIZED**

	Description	Continuous run-time	Theoretical ft <sup>2</sup> / h	Maximum Theoretical ft <sup>2</sup> /charge	Ft <sup>2</sup> charge efficiency (70%)
512ET	145ah Battery	4.0	27,117	108,470	75,929
512ET	100ah AGM Battery	2.8	27,117	76,096	53,267
512ET	140ah AGM Battery	4.0	27,117	108,468	75,928



**IPC Eagle Corporation**  
3650 Dodd Road Eagan, MN 55123  
800-486-2775  
info@ipceagle.com