

# Wet/Dry Vacuums

Full Line and Accessories



## Wet/Dry Vacuums

# Innovative Design, **Better Choices.**

One thing you can rely on is a consistently durable product designed to give you the best possible machine on the market.

Available in 1, 2 and 3 vacuum motors:  
1 x 1,000-1,200 Watt, 2 x 800-1,000 Watt, 3 x 500-600 Watt

### Wet/Dry Vacuums have:

- 9 piece tool kit for both wet and dry applications, includes 10' hose
- Locking inlet allows hose to swivel for easy operation
- Disposable paper bags available for easy clean up
- Poured in, urethane seal will not dry out, compress, or retain memory
- Flexible tank latches that will not bend or distort
- Additional cartridge filters available including HEPA filters

### GC150 13 Gallon

The GC150 Wet/Dry Vacuum is made of a durable polyethylene tank that is dent, rust, crack and chemical resistant. It has 6 swivel casters for easy tracking behind the operator.

- Drop in polyester cloth filter for general dry pick up.
- Optional cartridge filters and disposable bags available for all needs.
- Shut off float prevents damage to the motor.



### GC190/GC290/GC390 24 Gallon

The GC190, GC290 & GC390 Wet/Dry Vacuum is made of a durable polyethylene tank that is dent, rust, crack and chemical resistant. The GC290 contains 2 x 1,000 watt motors that are independently switched. The GC390 contains 3 x 600 watt motors that are independently switched. Includes 1.5" x 10' hose and 5 piece tool kit for wet/dry pickup.

Contains a drain hose for easy emptying. It has two large rear wheels for easy rolling up stairs and 2 swivel casters for easy tracking behind the operator. You have the option to mount a 30" front squeegee for large areas.



## GS162/GS262 17 Gallon

Available in 1 or 2 motors. The GS162 & GS262 Wet/Dry Vacuum has a heavy duty steel tank that is rust, crack and chemical resistant. Tank can be removed from the cart for easy emptying. It has two large rear wheels for easy rolling up stairs and 2 swivel casters for easy tracking behind the operator. Available with HEPA filtration.



## GP172 19 Gallon

Available in one motor only. The GP172 Wet/Dry Vacuum is made of a durable polypropylene tank that is dent, rust, crack and chemical resistant. It has two large rear wheels for easy rolling up stairs and 2 swivel casters for easy tracking behind the operator. It has a tip and pour design for easy emptying. Available with HEPA filtration.



## GS178/GS278 20 Gallon

Available in 1 or 2 motors. The GS178 & GS278 Wet/Dry Vacuum has a heavy duty steel tank that is rust, crack and chemical resistant. The GS278 contains 2 x 800 - 1,000 watt motors that are independently switched. Tip and pour design for easy emptying.

It has two large rear wheels for easy rolling up stairs and 2 swivel casters for easy tracking behind the operator. Available with HEPA filtration.



## LP 4 Gallon

The LP112 & LP116 is designed for everyday vacuuming of floors and carpeted areas. It is eco-friendly, made from 75% recycled plastic. The LP operates very quietly, allowing it to be used in noise-sensitive environments.





**Standard Tool Kit Includes:**

- 1 - 1.5" x 10' crushproof hose w/swivel cuff
- 2 - Straight wand extensions
- 1 - Curved hand wand w/air flow regulator
- 1 - 16" floor brush
- 1 - 16" floor squeegee
- 1 - Crevice tool
- 1 - 3" round dusting brush
- 1 - Universal adapter

**GC190/GC290/GC390 Shown with optional 30" front mount squeegee - T80184**



Easy to remove and adjust squeegee head assembly – No tools required.

Technical data	LP112	LP116	GC150	GC190	GC290	GC390
Tank Capacity	3 Gallon	4 Gallon	13 Gallon	24 Gallon	24 Gallon	24 Gallon
Tank Construction	Polyethylene	Polyethylene	Polyethylene	Polyethylene	Polyethylene	Polyethylene
Vacuum Motor	800 W	800 W	1,200 W	1,200 W	2 X 1,000 W	3 X 600 W
Waterlift	89"	89"	100"	100"	91"	71"
Air Volume	93 cfm	93 cfm	118 cfm	118 cfm	211 cfm	267 cfm
Cord Length	35'	35'	35'	35'	35'	35'
Machine Weight	13 lbs	13 lbs	25 lbs	45 lbs	50 lbs	55 lbs

Technical data	GS162	GS262	GP172	GS178	GS278
Tank Capacity	17 Gallon	17 Gallon	19 Gallon	20 Gallon	20 Gallon
Tank Construction	Steel	Steel	Polypropylene	Steel	Steel
Vacuum Motor	1,200 W	2 x 1,000 W	1,200 W	1,200 W	2 X 1,000
Waterlift	100"	91"	100"	100"	91"
Air Volume	118 cfm	211 cfm	118 cfm	118 cfm	211 cfm
Cord Length	35'	35'	35'	35'	35'
Machine Weight	41 lbs	41 lbs	40 lbs	50 lbs	55 lbs



12450 Oliver Ave S Burnsville, MN 55337  
 651.686.5399 • Fax 651.686.5695 •  
 800.486.2775 www.ipceagle.com

IPC Eagle Corporation Sales and Service Provided By: