VACUUM CLEANERS - INDUSTRIAL SOLUTIONS - EXPOLOSION PROOF







Code

TECHNICAL DATA

PLANET 300S ATEX

CE EX II 3D Ex t IIIB T135°C Dc IP55

Available 60Hz version

EXCLUSIVE FEATURES

- ▶ RELIABLE CONSTRUCTION FOR INTENSIVE USE
- **▶** DETACHABLE TANK AND SOLID CART
- MANUAL FILTER SHAKER
- TANGENTIAL OR METAL INLET
- **BIG AND BRAKED WHEELS**
- INDUSTRIAL FRAMEWORK WITH AISI 304 WITH DETACHABLE TANK
- TANGENTIAL INLET AND CONVEYOR CONE
- ▶ STARSHAPED FILTER, PCB PREFILTER AND ADDITIONAL CARTRIDGE
- VACUUM RELIEF VALVE AND FILTRATION LEVEL INDICATOR
- LONG LASTING TURBINE WITH PERFECT PERFORMANCE
- **EXPLOSION PROOF TURBINE AND DESIGN FOR ATEX ZONE 22**
- CONDUCTIVE WHEELS WITH BRAKES
- STATIC DISSIPATING FILTERS
- PCB PREFILTER & ADDITIONAL CARTRIDGE
- GROUNDING SYSTEM

PLANET 300S ATEX

ASID00425

Usage		DRY
Number of phases		3 phases
Voltage	V	400
Turbine		1 single stage
Power	W	3000
Water lift	mmH ₂ O	2500
Airflow	m³/h	304
Tank Capacity/Material	l	100
Diameter of inlet	mm	70
Filtering surface	cm²	19.500
Sound Pressure Level	dB(A)	76
Dimensions (LxWxH)	mm	660x900x1730
Weight	Kg	85

STANDARD EQUIPMENT

CODE: KTRI04594
CONDUCTIVE
FILTERING KIT

CODE: FTDP40014
POLYCARBON PREFILTER





OPTIONAL ACCESSORIES

Anti-Static tool kit Ø50-70 mm	PMDT00426
Stainless steel float kit to recovery liquid (for Planet 100 lt)	KTRI03124
Reusable conductive bag Atex (for Planet 100 lt)	KTRI03175
Poly linear retainer plate with clip (for conductive bag)	PVVR00190
Hepa cartridge kit 20.000 cm ²	PMVR06436
High reach cleaning ATEX	AVAII ABI F